

### SAFETY DATA SHEET

#### Section 1 - Identification

Product Identifier	Green Line Wax Remover
Other means of identification	U01GRWRXXX - All Package Sizes
Recommended use	Floor stripper.
Recommended restrictions	For commercial and industrial use only.
Manufacturer / Importer / Supplier / Distributor Information	
Company Name	Corcraft Products, NYSDOCCS
Address	550 Broadway, Albany, NY 12204
Telephone	1 (518) 436-6321 x 2620
Supplier Email	Doccs.sm.Corcraft.Orders@doccs.ny.gov
Contact	CHEM-TEL
Emergency Phone	1 (800) 255-3924

#### Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

	Classification	Category	Target Organ
Physical Hazards	Not Classified		
Health Hazards	Acute toxicity, inhalation	4	
	Serious eye damage/eye irritation	1	
	Skin corrosion/irritation	2	
	Specific target organ toxicity, single exposure	3	respiratory tract irritation
OSHA defined hazards	Not Classified.		

Label Elements  
Hazard Symbol



Signal Word  
Hazard Statement Causes skin irritation. Causes serious eye damage.

Precautionary statement  
Prevention Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

Response If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC) None known.

#### Section 3 - Composition/Information on ingredients

Mixture			
Hazardous Components	Ingredient Name	CAS #	%
	2-Amino Ethanol	141-43-5	5 - 10
	Dipropylene Glycol Monomethyl Ether	34590-94-8	5 - 10
	Benzyl Alcohol	100-51-6	10 - 15
	Alcohol ethoxylate	68131-39-5	1 - 5

#### Section 4 - First-aid Measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

## SAFETY DATA SHEET

Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most Important symptoms /effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General Information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

### Section 5 - Fire-fighting measures

Suitable extinguishing media	Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment /instructions	Move containers from fire area if you can do it without risk.
General fire hazards	No unusual fire or explosion hazards noted.
Specific Methods	Use standard firefighting procedures and consider the hazards of other involved materials.

### Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe the mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

### Section 7 - Handling and storage

Precautions for safe handling	Do not breathe the mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

### Section 8 - Exposure control/personal protection

#### Occupational exposure limits

##### US. Workplace environmental Exposure Level (WEEL) Guides

Component	Type	Value
Benzyl Alcohol (CAS 100-51-6)	TWA	44.2 mg/m <sup>3</sup> , 10 ppm

##### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
2-Amino Ethanol (CAS 141-43-5)	PEL	6 mg/m <sup>3</sup> , 3 ppm	
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	PEL	600 mg/m <sup>3</sup> , 100ppm	

##### US. ACGIH Threshold Limit Values

Component	Type	Value	Form
2-Amino Ethanol (CAS 141-43-5)	STEL	6 ppm	
2-Amino Ethanol (CAS 141-43-5)	TWA	3 ppm	
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	STEL	150 ppm	
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	TWA	100 ppm	

##### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
2-Amino Ethanol (CAS 141-43-5)	STEL	15 mg/m <sup>3</sup> , 6 ppm	
2-Amino Ethanol (CAS 141-43-5)	TWA	8 mg/m <sup>3</sup> , 3 ppm	

# SAFETY DATA SHEET

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	TWA	600 mg/m <sup>3</sup> , 100 ppm
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	STEL	900 mg/m <sup>3</sup> , 150 ppm
<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).	
<b>US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants</b>		
Components	Exposure	
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	Can be absorbed through the skin.	
<b>US.NIOSH: Pocket Guide to Chemical Hazards</b>		
Component	Exposure	
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	Can be absorbed through the skin.	
<b>US.OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.100)</b>		
Components	Exposure	
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	Can be absorbed through the skin.	
<b>US.Tennessee. OELs Occupational Exposure Limkits, Table Z1A</b>		
Components	Exposure	
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	Can be absorbed through the skin.	
<b>US ACGIH Threshold Limit Values: Skin designation</b>		
Component	Exposure	
Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	Can be absorbed through the skin.	

**Appropriate engineering controls** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

## Individual protection measures, such as personal protective equipment

<b>Eye/face protection</b>	Wear safety glasses with side shields (or goggles).
<b>Skin protection</b>	
<b>Hand protection</b>	Wear appropriate chemical resistant gloves.
<b>Other</b>	Wear suitable protective clothing.
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.
<b>General hygiene considerations</b>	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## Section 9 - Physical and chemical properties

### Appearance

<b>Physical state</b>	Liquid.
<b>Form</b>	Clear, thin liquid.
<b>Color</b>	Pale Amber.
<b>Odor</b>	Mild Characteristic.
<b>Odor threshold</b>	Not available.
<b>pH (Concentrate)</b>	10.8
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	212 °F (100 °C)
<b>Flash point</b>	> 201°F (> 94°C)
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.

### Upper/lower flammability or explosive limits

<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Similar to water.
<b>Vapor density</b>	Similar to water.
<b>Relative density</b>	1.00 ± 0.01
<b>Relative density temperature</b>	75 °F (23.89 °C)
<b>Solubilities</b>	Not available.
<b>Partition Coefficient n-octanol/water</b>	Not available
<b>Auto-ignition temperature</b>	Not Available
<b>Decomposition temperature</b>	Not Available
<b>Viscosity</b>	< 10 cP
<b>Viscosity Temperature</b>	75 °F (23.89 °C)

# SAFETY DATA SHEET

## Section 10 - Stability and reactivity

<b>Reactivity</b>	Reacts violently with strong acids. This product may react with oxidizing agents.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to Avoid</b>	Do not mix with other chemicals. Contact with incompatible materials.
<b>Incompatible materials</b>	Strong acids. Acids. Strong oxidizing agents. Oxidizing agents.
<b>Hazardous Decomposition Products</b>	No hazardous decomposition products are known.

## Section 11 - Toxicological information

### Information on likely routes of exposure

<b>Ingestion</b>	Causes digestive tract burns. Harmful if swallowed.
<b>Inhalation</b>	Harmful if inhaled.
<b>Skin contact</b>	Causes severe skin burns.
<b>Eye contact</b>	Causes serious eye damage.

**Symptoms related to the physical, chemical and toxicological characteristics**  
Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.

### Information on toxicological effects.

**Acute toxicity** Harmful if inhaled. Harmful if swallowed. May cause respiratory irritation.

Components	Level	Type	Code	Species	Results
2-Amino Ethanol (CAS 141-43-5)	Acute	Dermal	LD50	Rabbit	1025 mg/kg
	Acute	Oral	LD50	Rat	1715 mg/kg
Benzyl Alcohol (CAS 100-51-6)	Acute	Dermal	LD50	Rabbit	2000 mg/kg
	Acute	Inhalation	LC100	Rat	200 - 300 mg/l,
	Acute	Inhalation	LC50	Rat	8.8 mg/l, 4 Hou
	Acute	Oral	LD50	Mouse	1150 mg/kg
	Acute	Oral	LD50	Rat	1230 - 3100 mg
	Acute	Other	LD50	Mouse	480 mg/kg
Acute	Other	LD50	Rat	400 mg/kg	

<b>Skin corrosion/irritation</b>	Causes skin irritation.
<b>Serious eye damage/ eye irritation</b>	Causes serious eye damage.
<b>Respiratory sensitization</b>	This product is not expected to cause respiratory sensitization.
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
<b>Carcinogenicity</b>	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.
<b>Specific target organ toxicity - single exposure</b>	May cause respiratory irritation.
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not classified.
<b>Chronic effects</b>	May be harmful if absorbed through skin. Prolonged inhalation may be harmful. Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

## Section 12 - Ecological Information

**Ecotoxicity** This material has not been tested for environmental effects. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Contains one or more components which can cause risk of hazardous effects.

### Component(s)

2-Amino Ethanol, 141-43-5

### Aquatic

EcoName	EcoCode	EcoSpecies	EcoTestResults
Algae	EC50	Selenastrum capricornutum (new name Pseudokirchnerella subca)	2.5 mg/l, 48 hours
Crustacea	EC50	Daphnia magna	65 mg/l, 48 hours
Fish	LC50	Cyprinus carpio	349 mg/l, 96 hours

Alcohol ethoxylate, 68131-39-5

### Aquatic

EcoName	EcoCode	EcoSpecies	EcoTestResults
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	0.37 - 0.43 mg/l, 48 hours

## SAFETY DATA SHEET

Crustacea	EC50	Water flea (Daphnia magna)	0.39 -0.56 mg/l, 48 hours
Fish	LC 50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.775 - 1.3 mg/l, 96 hours
Fish	LC50	Flathead minnow (Pimephales promelas)	0.72 -2.7 mg/l, 96 hours
Persistence and degradability	No data is available on the degradability of this product.		
Bioaccumulative potential	No data available.		
Partition coefficient n-octanol / water log (Kow)			
Components		Results	
Benzyl Alcohol (CAS 100-51-6)		1.1	
2-Amino Ethanol (CAS 141-43-5)		-1.31	
Mobility in soil	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

### Section 13 - Disposal considerations

Disposal instructions	Dispose in accordance with applicable federal, state, and local regulations.
Local disposal regulations	Dispose of in accordance with local regulations.
Hazardous waste code	Waste codes should be assigned by the user based on the application for which the product was used.
Waste from residues / unused products	Dispose in accordance with all applicable regulations.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

### Section 14 - Transport information

DOT	Not regulated as dangerous goods.
IATA	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.
Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code	This substance/mixture is not intended to be transported in bulk.

### Section 15 - Regulatory Information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.	
TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)	Not regulated.	
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	Not on regulatory list.	
CERCLA Hazardous Substance List (40 CFR 302.4)	Not listed.	
Superfund Amendments and Reauthorization Act of 1986 (SARA)		
Hazard Categories	Immediate Hazard	Yes
	Delayed Hazard	No
	Fire Hazard	No
	Pressure Hazard	No
	Reactivity Hazard	No
SARA 302 Extremely hazardous substance	Not listed.	
SARA 311/312 Hazardous chemical	Yes	
SARA 313 (TRI reporting)	Not regulated.	
Other federal regulations		
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HSPs) List	Not regulated.	
Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)	Not regulated.	
Safe Drinking Water Act (SDWA)	Not regulated.	
Food and Drug Administration (FDA)	Not regulated.	
US state regulations		
US.Massachusetts RTK - Substance List	Components 2-Amino Ethanol (CAS 141-43-5) Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8) Benzyl Alcohol (CAS 100-51-6)	
US.New Jersey Worker and Community Right-to-Know Act	Components 2-Amino Ethanol (CAS 141-43-5) Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)	
US.Pennsylvania RTK - Hazardous Substances	Components 2-Amino Ethanol (CAS 141-43-5) Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8) Benzyl Alcohol (CAS 100-51-6)	
US.Rhode Island RTK	Components 2-Amino Ethanol (CAS 141-43-5)	

# SAFETY DATA SHEET

US - California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - Carcinogens Reproductive Toxicity (CRT): Listed

**International Inventories**


Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

\*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**Section 16 - Other information, including date of preparation or last version**

**NFPA RATING SYSTEM**



**HMIS RATING SYSTEM**

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM			
HEALTH HAZARD (BLUE)			2
FLAMMABILITY HAZARD (RED)			0
PHYSICAL HAZARD (YELLOW)			0
PROTECTIVE EQUIPMENT			
EYES	RESPIRATORY	HANDS	BODY
	See Sect 8		See Sect 8
For Routine Industrial Use and Handling Applications			

**Hazard Scale:** 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

Issue date: 6/26/2015  
 Revision date: 09/02/2016  
 Version #: 01  
 Disclaimer:

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.