

SECTION 1. PRODUCT IDENTIFICATION

1.1 TRADE NAME (AS LABELED):	Green Line Wax Remover
<u>SYNONYMS:</u>	N/A
<u>CAS#:</u>	Mixture
1.2 PRODUCT USE:	Floor stripper
<u>CHEMICAL SHIPPING NAME/CLASS:</u>	Not Regulated
<u>U.N. NUMBER:</u>	N/A
1.3 NORTH AMERICA:	
<u>MANUFACTURER'S NAME:</u>	Corcraft – New York State Department of Corrections and Community Supervision
<u>ADDRESS:</u>	Great Meadow Correctional Facility, Division of Industries
<u>ADDRESS CONT:</u>	550 Broadway Albany, NY 12204
<u>BUSINESS PHONE:</u>	518-436-6321 EXT 2620
<u>WEB SITE INFORMATION:</u>	www.corcraft.org
1.4 EMERGENCY PHONE NUMBERS:	800-467-4922 (CHEMTREC) THE CHEMTREC NUMBER IS TO BE CALLED ONLY IN THE EVENT OF CHEMICAL EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT INVOLVING CHEMICALS.
<u>DATE OF CURRENT REVISION:</u>	October 14, 2019
<u>DATE OF LAST REVISION:</u>	September 2, 2016

SECTION 2. HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: This product is a pale amber, clear, thin liquid with a mild characteristic odor.
Health Hazards: Corrosive, may cause skin burns and eye damage.
Flammability Hazards: This product is a nonflammable liquid.
Reactivity Hazards: None known.
Environmental Hazards: The Environmental effects of this product have not been investigated, however release may cause adverse environmental effects.

GHS Hazard Symbol(s)

US DOT SYMBOL(S)



Not Regulated

Signal Word: **Danger!**

2.1 GHS LABELING AND HAZARD CLASSIFICATION:

This product does meet the definition of a hazardous substance or preparation as defined by Health Canada and the OSHA (as described in 29 CFR 1910.1200(d))

Component(s) Contributing to Classification(s)

Benzyl Alcohol, 2-Amino Ethanol, Alcohol ethoxylate

2.2 LABEL ELEMENTS

GHS Hazard Classification(s):

Acute Toxicity Category 4 (Oral)
 Acute Toxicity Category 4 (Inhalation)
 Skin Corrosion, Category 1B
 Eye Damage, Category 1
 Acute aquatic toxicity, Category 2

Hazard Statement(s):

H302 Harmful if swallowed
 H332 Harmful if inhaled
 H314 Causes severe skin burns and eye damage
 H401 Toxic to aquatic life

Storage Statement(s):

P405 Store locked up.

Disposal Statement(s):

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Prevention Statement(s)

P280 Wear protective gloves/eye protection/face protection.
 P264 Wash thoroughly after handling.
 P260 Do not breathe dusts or mists.
 P272 Contaminated work clothing should not be allowed out of the workplace
 P270 Do not eat, drink or smoke when using this product.
 P271 Use only outdoors or in a well-ventilated area.
 P273 Avoid release to the environment

Response Statement(s):

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P330 Rinse mouth.
 P363 Wash contaminated clothing before reuse.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.

2.3 OTHER HAZARDS

None Applicable

SECTION 3. COMPOSITION AND INFORMATION ON INGREDIENTS

COMPOSITION	WT. PERCENTAGE	CAS#	HAZARD CLASSIFICATION
Benzyl Alcohol	10-15%	100-51-6	Acute Tox Cat 4 (Oral, Inhal),
2-Amino Ethanol	5-10%	141-43-5	Acute Tox Cat 4 (Oral, Dermal, Inhal), Skin Corr Cat 1
Dipropylene Glycol Monomethyl Ether	5-10%	34590-94-8	Not Classified
Alcohol ethoxylate	1-5%	68131-39-5	Skin Irrit Cat 2, Eye Dam Cat 1, Aquatic Acute Cat 1
Balance of other ingredients are non-hazardous or less than 1% in concentration (< 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).			

4. FIRST-AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES:

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Remove contacts if present and easy to do. Seek medical attention if irritation persists.

SKIN CONTACT: Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.

INGESTION: If this product is swallowed, call physician or poison control center for treatment advice. Do not induce vomiting unless told to do so by a poison control center or physician. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. If transporting take a copy of the label and/or SDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Pre-existing skin problems may be aggravated by prolonged contact.

4.2 SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

Contact with skin, eyes, or the respiratory tract may cause irritation.

4.3 RECOMMENDATIONS TO PHYSICIANS:

Treat symptoms and eliminate overexposure.

SECTION 5. FIRE-FIGHTING MEASURES

5.1 FIRE EXTINGUISHING MATERIALS:

Use fire extinguishing methods below:

Water Spray: Yes

Carbon Dioxide: Yes

Foam: Yes

Dry Chemical: Yes

Halon: Yes

Other: Any "C" Class

5.2 UNUSUAL FIRE AND EXPLOSION HAZARDS: None Known

Explosion Sensitivity to Mechanical Impact: No

Explosion Sensitivity to Static Discharge: No

5.3 SPECIAL FIRE-FIGHTING PROCEDURES:

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

See Section 8.2 for Exposure Controls

6.2 ENVIRONMENTAL PRECAUTIONS:

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils

6.3 SPILL AND LEAK RESPONSE:

Stop the flow of material, if this can be done safely. Contain discharged material. Absorb spill using an absorbent, non-combustible material such as earth, sand, or vermiculite. Place in a proper container for disposal. Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces. (see Section 13, Disposal Considerations).

SECTION 7. HANDLING and STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Use good hygiene practices. When handling, do not eat, drink, or smoke. Handle in a well-ventilated work area.

7.2 STORAGE AND HANDLING PRACTICES:

Store in original container and locked up. Keep in a well-ventilated area in closed containers. Protect containers from physical damage.

7.3 SPECIFIC USES:

Disinfectant Chemical Intermediate

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 EXPOSURE PARAMETERS:

Chemical Name	CAS#	ACGIH TLV	OSHA TWA
Benzyl Alcohol	100-51-6	Not Listed	Not Listed
2-Amino Ethanol	141-43-5	3 ppm	6 mg/m ³ , 3 ppm
Dipropylene Glycol Monomethyl Ether	34590-94-8	100 ppm	600 mg/m ³ , 100ppm
Alcohol ethoxylate	68131-39-5	Not Listed	Not Listed

8.2 EXPOSURE CONTROLS:

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada.

RESPIRATORY PROTECTION: Not required for properly ventilated areas. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93.

EYE PROTECTION: Safety glasses or goggles are required. If necessary, refer to U.S. OSHA 29 CFR 1910.133 or appropriate Standards of Canada.

HAND PROTECTION: Chemical resistant gloves are required to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standards of Canada.

BODY PROTECTION: Use body protect appropriate to task being performed. If necessary, refer to appropriate Standards of Canada and U.S. OSHA 29 CFR 1910.138. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

SECTION 9. PHYSICAL and CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE (Physical State) and COLOR: Amber, clear, thin liquid.

ODOR: Mild characteristic odor.

ODOR THRESHOLD: Not Applicable

pH: 10.8

MELTING/FREEZING POINT: Not Available

BOILING POINT: 212°F

FLASH POINT: Not Available

EVAPORATION RATE (n-BuAc=1): Not Available

FLAMMABILITY (SOLID, GAS): Not Applicable

UPPER/LOWER FLAMMABILITY OR EXLOSION LIMITS: Not Available

VAPOR PRESSURE (mm Hg @ 20°C (68°F): Not Available

VAPOR DENSITY: Not Available

RELATIVE DENSITY: 1.00

SPECIFIC GRAVITY: Not Available

SOLUBILITY IN WATER: Not Available

WEIGHT PER GALLON: Not Available

PARTITION COEFFICENT (n-octanol/water): Not Available

AUTO-IGNITION TEMPERATURE: Not Applicable

DECOMPOSITION TEMPERATURE: Not Available

VISCOSITY: < 10 cP

9.2 OTHER INFORMATION:

No additional information available

SECTION 10. STABILITY and REACTIVITY

10.1 REACTIVITY:

None known.

10.2 STABILITY:

Stable under conditions of normal storage and use.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS:

Will not occur.

10.4 CONDITIONS TO AVOID:

Do not mix with other chemicals. Contact with incompatible materials.

10.5 MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:

Strong acids. Acids. Strong oxidizing agents. Oxidizing agents.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS:

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

TOXICITY DATA:

Components	Level	Type	Code	Species	Results
2-Amino Ethanol (CAS 141-43-5)	Acute	Dermal	LD50	Rabbit	1025 mg/kg
	Acute	Oral	LD50	Rat	1715 mg/kg
Benzyl Alcohol (CAS 100-51-6)	Acute	Dermal	LD50	Rabbit	2000 mg/kg
	Acute	Inhalation	LC100	Rat	200 - 300 mg/l,
	Acute	Inhalation	LC50	Rat	8.8 mg/l, 4 Hou
	Acute	Oral	LD50	Mouse	1150 mg/kg
	Acute	Oral	LD50	Rat	1230 - 3100 mg/
	Acute	Other	LD50	Mouse	480 mg/kg
	Acute	Other	LD50	Rat	400 mg/kg

SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE: The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

ACUTE:

INHALATION: Mist or spray may cause coughing, headache, throat and respiratory irritation.

CONTACT WITH SKIN: Corrosive material may cause redness, skin burns, or blisters.

EYE CONTACT: Corrosive material may cause irritation with possible burns and tissue damage.

INGESTION: May cause gastrointestinal irritation, vomiting, or headache.

CHRONIC: None known

TARGET ORGANS: Acute: Skin, Eyes Chronic: None known

SUSPECTED CANCER AGENT: Ingredients within this product, that are greater than the applicable cut-off values, are not found on the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

IRRITANCY OF PRODUCT: This product may be irritating to skin, eyes or respiratory system.

SENSITIZATION TO THE PRODUCT: This product is not expected to be a skin sensitizer.

REPRODUCTIVE TOXICITY INFORMATION: No data available.

SECTION 12. ECOLOGICAL INFORMATION

12.1 TOXICITY:

2-Amino Ethanol, 141-43-5

Algae EC50 Selenastrum capricornutum (new name Pseudokirchnerella subca 2.5 mg/l, 48 hours

Crustacea EC50 Daphnia magna 65 mg/l, 48 hours

Fish LC50 Goldfish (Carassius auratus) 170 mg/l, 96 hours

Fish LC50 Cyprinus carpio 349 mg/l, 96 hours

Alcohol ethoxylate, 68131-39-5

Crustacea EC50 Water flea (Ceriodaphnia dubia) 0.37 - 0.43 mg/l, 48 hours

Crustacea EC50 Water flea (Daphnia magna) 0.39 -0.56 mg/l, 48 hours

Fish LC 50 Rainbow trout,donaldson trout (Oncorhynchus mykiss) 0.775 - 1.3 mg/l, 96 hours

Fish LC50 Flathead minnow (Pimephales promelas) 0.72 -2.7 mg/l, 96 hours

12.2 PERSISTENCE AND DEGRADABILITY:

No specific data available on this product.

12.3 BIOACCUMULATIVE POTENTIAL:

Components Results

Benzyl Alcohol (CAS 100-51-6) 1.1

2-Amino Ethanol (CAS 141-43-5) -1.31

12.4 MOBILITY IN SOIL:

No specific data available on this product.

12.5 OTHER ADVERSE EFFECTS:

This product is not expected to be harmful to plants, animals or aquatic life.

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS:

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, and those of Canada.

SECTION 14. TRANSPORTATION INFORMATION

US DOT:

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS: This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

14. 1 UN IDENTIFICATION NUMBER: None

14.2 PROPER SHIPPING NAME: Not Regulated

14.3 HAZARD CLASS NUMBER and DESCRIPTION: None

14.4 PACKING GROUP: None

DOT LABEL(S) REQUIRED: None

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER: None

14.5 ENVIRONMENTAL HAZARDS: (RQ QUANTITY): None

MARINE POLLUTANT: The components of this product are designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

14.6 SPECIAL PRECAUTION FOR USER: None

SECTION 15. REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE SUBSTANCE OR MIXTURE:

UNITED STATES REGULATIONS:

U.S. SARA REPORTING REQUIREMENTS: The components of this product are not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for the components of this product. The default Federal SDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20.

SARA 311/312: Acute Health: Yes; Chronic Health: No; Fire: No; Reactivity: No

U.S. CERCLA REPORTABLE QUANTITY (RQ): No data

U.S. TSCA INVENTORY STATUS: The components of this product are listed on the TSCA Inventory or are exempted from listing.

OTHER U.S. FEDERAL REGULATIONS: None known.

SECTION 16. OTHER INFORMATION

HMIS Rating (Scale 0-4)

Health hazard: 3
Flammability: 0
Physical Hazard: 0

NFPA Rating (Scale 0-4)

Health hazard: 3
Flammability: 0
Physical Hazard: 0

Caution: HMIS and NFPA ratings are based on a 0-4 rating scale

0= Minimal Hazard

1= Slight

2= Moderate

3= High

4= Extreme

Abbreviations and acronyms

ACGIH	American Conference of Governmental Industrial Hygienists
CFR	Code of Federal Regulations
DOT	Federal Department of Transportation
GHS	The Globally Harmonized System of Classification and Labelling of Chemicals
HMIS	Hazardous Material Identification System
HCS	Hazard Communication Standard
IARC	International Agency for Research on Cancer
IATA	The International Air Transport Association
ICAO	The International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
LD50/LC50	Lethal Concentration/Dose, 50 percent
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health
PEL	OSHA Permissible Exposure Limit
SARA	Superfund Amendments and Reauthorization Act
TLV	ACGIH Threshold Limit Value
TWA	Time-Weighted Average
Acute Tox	Acute Toxicity
Skin Corr	Skin Corrosion

PREPARED BY: Chris Eigbrett – (MSDS to GHS Compliance)
DATE OF PRINTING: October 14, 2019

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. Corcraft assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Corcraft assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.

END OF SDS SHEET