

SECTION 1. PRODUCT IDENTIFICATION

1.1 TRADE NAME (AS LABELED):
SYNONYMS:
CAS#:
1.2 PRODUCT USE:
CHEMICAL SHIPPING NAME/CLASS:
U.N. NUMBER:
1.3 NORTH AMERICA:
MANUFACTURER'S NAME:
ADDRESS:
ADDRESS CONT:
BUSINESS PHONE:
WEB SITE INFORMATION:
1.4 EMERGENCY PHONE NUMBERS:
DATE OF CURRENT REVISION:
DATE OF LAST REVISION:
Red Label Floor Finish

Premier, Premier Plus, Dri-Brite, High Speed Buffable, Spray Buff Maintainer, OGS Approved Floor Finish

Mixture

Protection of resilient or tile floors

Non-Regulated Material

N/A

Corcraft – New York State Department of Corrections and Community Supervision

Great Meadow Correctional Facility, Division of Industries

550 Broadway Albany, NY 12204

518-436-6321 EXT 2620

corcraft.ny.gov

800-467-4922 (CHEMTREC) THE CHEMTREC NUMBER IS TO BE CALLED ONLY IN THE EVENT OF CHEMICAL EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT INVOLVING CHEMICALS.

September 24, 2019

May 12, 2015

SECTION 2. HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: This product is a white opaque colored liquid with a typical acrylic floor finish odor.

Health Hazards: May cause serious eye irritation. May cause skin irritation.

Flammability Hazards: This product is a non-flammable liquid.

Reactivity Hazards: None known.

Environmental Hazards: The Environmental effects of this product have not been investigated, however release may cause adverse environmental effects.

GHS Hazard Symbol(s)



US DOT SYMBOL(S)

Non-Regulated Material

 Signal Word: **Warning!**
2.1 GHS LABELING AND HAZARD CLASSIFICATION:

This product does meet the definition of a hazardous substance or preparation as defined by Health Canada and the OSHA (as described in 29 CFR 1910.1200(d))

Component(s) Contributing to Classification(s)

Tributoxy Ethyl Phosphate

2.2 LABEL ELEMENTS
GHS Hazard Classification(s):

Skin Irritation, Category 2

Eye Irritation, Category 2A

Hazard Statement(s):

H315 Causes skin irritation

H319 Causes serious eye irritation

Prevention Statement(s)

P264 Wash thoroughly after handling

P280 Use protective gloves/protective clothing/eye protection/face protection.

Storage Statement(s):

None Applicable

Disposal Statement(s):

None Applicable

Response Statement(s):

P302+P352 IF ON SKIN: Wash with plenty of water.

P321 Specific treatment (See Section 4 of this SDS)

P332+P313 If skin irritation occurs: Get medical advice / attention.

P362+P364 Take off contaminated clothing and wash it before reuse

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice / attention

2.3 OTHER HAZARDS

None Applicable

SECTION 3. COMPOSITION AND INFORMATION ON INGREDIENTS

COMPOSITION	WT. PERCENTAGE	CAS#	HAZARD CLASSIFICATION
Water	40-60%	7732-18-5	None
Diethylene glycol monoethyl ether	1-5%	111-90-0	Flam Liq Cat 4
Tributoxy Ethyl Phosphate	1-3%	78-51-3	Acute Tox Cat 4 (Oral, Dermal), Skin Irrit Cat 2, Eye Irrit Cat 2, STOT SE Cat 3
Balance of other ingredients are non-hazardous or less than 1% in concentration (< 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).			
* Proprietary ingredients are Company Trade Secret - Business Confidential. Corcraft is withholding the specific chemical identity under provision of the OSHA Hazard Communication Rule Trade Secrets (1910.1200(i)(1)). The specific chemical identity will be made available to health professionals in accordance with 29 CFR 1910.1200 (i)(1) (2) (3) (4).			

4. FIRST-AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES:

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Remove contacts if present and easy to do. Seek medical attention if irritation persists.

SKIN CONTACT: Seek medical attention if irritation develops and persists.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.

INGESTION: If this product is swallowed, call physician or poison control center for treatment advice. Do not induce vomiting unless told to do so by a poison control center or physician. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. If transporting take a copy of the label and/or SDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Pre-existing skin problems may be aggravated by prolonged contact.

4.2 SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

May cause serious eye irritation. May cause skin irritation.

4.3 RECOMMENDATIONS TO PHYSICIANS:

Treat symptoms and eliminate overexposure.

SECTION 5. FIRE-FIGHTING MEASURES

5.1 FIRE EXTINGUISHING MATERIALS:

Use fire extinguishing methods below:

Water Spray: Yes

Carbon Dioxide: Yes

Foam: Yes

Dry Chemical: Yes

Halon: Yes

Other: Any "C" Class

5.2 UNUSUAL FIRE AND EXPLOSION HAZARDS: None Known

Explosion Sensitivity to Mechanical Impact: No

Explosion Sensitivity to Static Discharge: No

5.3 SPECIAL FIRE-FIGHTING PROCEDURES:

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

See Section 8.2 for Exposure Controls

6.2 ENVIRONMENTAL PRECAUTIONS:

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils

6.3 SPILL AND LEAK RESPONSE:

Stop the flow of material, if this can be done safely. Contain discharged material. Absorb spill using an absorbent, non-combustible material such as earth, sand, or vermiculite. Place in a proper container for disposal. Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces. (see Section 13, Disposal Considerations).

SECTION 7. HANDLING and STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Follow defined storage and handling practices.

7.2 STORAGE AND HANDLING PRACTICES:

Store in original container. Keep in a well-ventilated area in closed containers. Protect containers from physical damage.

7.3 SPECIFIC USES:

Protection of resilient or tile floors

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 EXPOSURE PARAMETERS:

Chemical Name	CAS#	ACGIH TLV	OSHA TWA
Water	7732-18-5	Not Listed	Not Listed
Diethylene glycol monoethyl ether	111-90-0	25 ppm 140 mg/m ³	Not Listed
Tributoxy Ethyl Phosphate	78-51-3	0.5 mg/m ³	0.5 mg/m ³

8.2 EXPOSURE CONTROLS:

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada.

RESPIRATORY PROTECTION: Not required for properly ventilated areas. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93.

EYE PROTECTION: Safety glasses or goggles are required. If necessary, refer to U.S. OSHA 29 CFR 1910.133 or appropriate Standards of Canada.

HAND PROTECTION: Chemical resistant gloves are required to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standards of Canada.

BODY PROTECTION: Use body protect appropriate to task being performed. If necessary, refer to appropriate Standards of Canada and U.S. OSHA 29 CFR 1910.138. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

SECTION 9. PHYSICAL and CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE (Physical State) and COLOR: White opaque liquid

ODOR: Typical acyclic floor finish odor

ODOR THRESHOLD: Not Applicable

pH: 8.0-9.0

MELTING/FREEZING POINT: 210°F

BOILING POINT: 210°F

FLASH POINT: Not Available
EVAPORATION RATE (n-BuAc=1): Not Available
FLAMMABILITY (SOLID, GAS): Not Applicable
UPPER/LOWER FLAMMABILITY OR EXLOSION LIMITS: Not Available
VAPOR PRESSURE (mm Hg @ 20°C (68°F): Not Available
VAPOR DENSITY: >1
RELATIVE DENSITY: Not Available
SPECIFIC GRAVITY: 1.02
SOLUBILITY IN WATER: Completely soluble
WEIGHT PER GALLON: Not Available
PARTITION COEFFICENT (n-octanol/water): Not Available
AUTO-IGNITION TEMPERATURE: Not Applicable
DECOMPOSITION TEMPERATURE: Not Available
VISCOSITY: Water thin

9.2 OTHER INFORMATION:

No additional information available

SECTION 10. STABILITY and REACTIVITY

10.1 REACTIVITY:

None known.

10.2 STABILITY:

Stable under conditions of normal storage and use.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS:

Will not occur.

10.4 CONDITIONS TO AVOID:

Excessive temperatures

10.5 MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:

Not data available.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS:

No decomposition if stored normally.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

TOXICITY DATA:

No data available on this product.

SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE: The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

ACUTE:

INHALATION: Mist or spray may cause coughing and throat and respiratory irritation.

CONTACT WITH SKIN: May cause mild to moderate irritation.

EYE CONTACT: Contact with eyes may cause serious irritation including redness and tearing.

INGESTION: May cause gastrointestinal irritation, nausea and diarrhea.

CHRONIC: Repeated or prolonged exposure may cause drying and/or cracking.

TARGET ORGANS: **Acute:** Skin, Eyes **Chronic:** Skin

SUSPECTED CANCER AGENT: Ingredients within this product are not found on the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

IRRITANCY OF PRODUCT: This product may cause skin, respiratory, and eye irritation.

SENSITIZATION TO THE PRODUCT: This product is not believed to be a skin sensitizer.

REPRODUCTIVE TOXICITY INFORMATION: No data available.

SECTION 12. ECOLOGICAL INFORMATION

12.1 TOXICITY:

No data available.

12.2 PERSISTENCE AND DEGRADABILITY:

No specific data available on this product.

12.3 BIOACCUMULATIVE POTENTIAL:

No specific data available on this product.

12.4 MOBILITY IN SOIL:

No specific data available on this product.

12.5 OTHER ADVERSE EFFECTS:

Though this product is not expected to be harmful to plants, animals or aquatic life all work practices must be aimed at preventing environmental contamination.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS:

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, and those of Canada.

SECTION 14. TRANSPORTATION INFORMATION

US DOT:

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS: This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

14.1 UN IDENTIFICATION NUMBER: Non-Regulated Material

14.2 PROPER SHIPPING NAME: None

14.3 HAZARD CLASS NUMBER and DESCRIPTION: None

14.4 PACKING GROUP: None

DOT LABEL(S) REQUIRED: None

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER: None

14.5 ENVIRONMENTAL HAZARDS: (RQ QUANTITY): None

MARINE POLLUTANT: The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

14.6 SPECIAL PRECAUTION FOR USER: None

SECTION 15. REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE SUBSTANCE OR MIXTURE:**UNITED STATES REGULATIONS:**

U.S. SARA REPORTING REQUIREMENTS: The components of this product are not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for the components of this product. The default Federal SDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20.

SARA 311/312: Acute Health: Yes; Chronic Health: No; Fire: No; Reactivity: No

U.S. CERCLA REPORTABLE QUANTITY (RQ): None.

U.S. TSCA INVENTORY STATUS: The components of this product are listed on the TSCA Inventory or are exempted from listing.

OTHER U.S. FEDERAL REGULATIONS: None known.

SECTION 16. OTHER INFORMATION

HMIS Rating (Scale 0-4)

Health hazard: 3
Flammability: 0
Physical Hazard: 0

NFPA Rating (Scale 0-4)

Health hazard: 3
Flammability: 0
Physical Hazard: 0

Caution: HMIS and NFPA ratings are based on a 0-4 rating scale

0= Minimal Hazard

1= Slight

2= Moderate

3= High

4= Extreme

Abbreviations and acronyms

ACGIH	<i>American Conference of Governmental Industrial Hygienists</i>
CFR	<i>Code of Federal Regulations</i>
DOT	<i>Federal Department of Transportation</i>
GHS	<i>The Globally Harmonized System of Classification and Labelling of Chemicals</i>
HMIS	<i>Hazardous Material Identification System</i>
HCS	<i>Hazard Communication Standard</i>
IARC	<i>International Agency for Research on Cancer</i>
IATA	<i>The International Air Transport Association</i>
ICAO	<i>The International Civil Aviation Organization</i>
IMDG	<i>International Maritime Dangerous Goods</i>
IMO	<i>International Maritime Organization</i>
LD50/LC50	<i>Lethal Concentration/Dose, 50 percent</i>
NFPA	<i>National Fire Protection Association</i>
NIOSH	<i>National Institute for Occupational Safety and Health</i>
NTP	<i>National Toxicology Program</i>
OSHA	<i>Occupational Safety and Health</i>
PEL	<i>OSHA Permissible Exposure Limit</i>
SARA	<i>Superfund Amendments and Reauthorization Act</i>
TLV	<i>ACGIH Threshold Limit Value</i>
TWA	<i>Time-Weighted Average</i>
Acute Tox	<i>Acute Toxicity</i>
Skin Corr	<i>Skin Corrosion</i>

PREPARED BY: Chris Eigbrett – (MSDS to GHS Compliance)

DATE OF PRINTING: September 24, 2019

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. Corcraft assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Corcraft assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.

END OF SDS SHEET